

## MiniPAT - PTT #39332 - Serial 16P1654

 Unproposed changes on 04-Oct-2018 19:49:29. Settings not applied.

### ▼ Tag Information

Tag Details

Argos Settings

Accelerometer Settings

Administrator(s): **N/A**

Tagware Version: **2.4t**

Tag Type: **MiniPAT**

▶ Tag Release Sequence 

▶ Data Product Settings

▶ Transmission Settings

 Send Changes

## MiniPAT - PTT #39332 - Serial 16P1654

 Unproposed changes on 04-Oct-2018 19:49:29. Settings not applied.

### ▼ Tag Information

Tag Details

Argos Settings

Accelerometer Settings

Argos PTT Dec Id: **39332**

Argos PTT Hex Id: **1945A4C**

Argos Uplink Id: **1617:76**

▶ Tag Release Sequence 

▶ Data Product Settings

▶ Transmission Settings

 Send Changes

## MiniPAT - PTT #39332 - Serial 16P1654

 Unproposed changes on 04-Oct-2018 19:49:29. Settings not applied.

### ▼ Tag Information

Tag Details

Argos Settings

Accelerometer Settings

Archive Accelerometer Channels

▶ Tag Release Sequence 

▶ Data Product Settings

▶ Transmission Settings

 Send Changes

## MiniPAT - PTT #39332 - Serial 16P1654


 Unproposed changes on 04-Oct-2018 19:49:29. Settings not applied.

▶ Tag Information

▼ Tag Release Sequence 

Release my tag  days after deployment start, or on this given date .

The tag will set its Archive Sample Interval to 1 second(s) based on a 30 day deployment.

Auto-Detect Tag Detachment 

OFF 

Auto-Detect Mortality 

OFF 

- Release tag if it is at a depth below 1,700m.
- When released and trying to transmit, ignore the wet/dry sensor after 45 days.
- Enable Homing Pinger - Interval:  second(s).
- Use an external release device.

▶ Data Product Settings

▶ Transmission Settings

 Send Changes

# MiniPAT - PTT #39332 - Serial 16P1654

**⚠ Unproposed changes on 04-Oct-2018 19:49:29. Settings not applied.**

▶ Tag Information

▶ Tag Release Sequence **i**

▼ Data Product Settings

### Daily Messages

Light Level and SST Geolocation

Always Generate

Generate On Schedule

Never Generate

Calculate Daily Light Attenuation Constants **i**



Daily Data **i**

Always Generate

Generate On Schedule

Never Generate

Orientation Data

Always Generate

Generate On Schedule

Never Generate

### Time Series Messages

Depth

Always Generate

Generate On Schedule

Never Generate

Temperature

Always Generate

Generate On Schedule

Never Generate

Sampling Interval

300 Seconds ▾

### Summary Messages

Mixed Layer Temperature

Always Generate

Generate On Schedule

Never Generate

Profile of Depth and Temperature **i**

Always Generate

Generate On Schedule

Never Generate

Histograms (TAT & TAD)

Always Generate

Generate On Schedule

Never Generate

### Schedule **i**

On Off-On

Off On-Off

Initially **on** for  day(s), then **off** for  day(s) and **on** for  day(s).

The tag will generate **13/1** message(s) per on/off day, for a total of **162** message(s) based on a **30** day deployment.

▶ Transmission Settings

**Send Changes**

## MiniPAT - PTT #39332 - Serial 16P1654

 Unproposed changes on 04-Oct-2018 19:49:29. Settings not applied.

▶ Tag Information

▶ Tag Release Sequence 

▶ Data Product Settings

▼ Transmission Settings

Argos Interval: **60** seconds.

 Send Changes