

MiniPAT - PTT #39332 - Serial 16P1654

 Generated from settings file (.taf)

▼ Tag Information

Tag Details

Argos Settings

Accelerometer Settings

Administrator(s): **dannyvo@gmail.com**

Tagware Version: **2.4t**

Tag Type: **MiniPAT**

▶ Tag Release Sequence 

▶ Data Product Settings

▶ Transmission Settings

MiniPAT - PTT #39332 - Serial 16P1654

 Generated from settings file (.taf)

▼ Tag Information

Tag Details

Argos Settings

Accelerometer Settings

Argos PTT Dec Id: **39332**

Argos PTT Hex Id: **1945A4C**

Argos Uplink Id: **1617:76**

▶ Tag Release Sequence 

▶ Data Product Settings

▶ Transmission Settings

MiniPAT - PTT #39332 - Serial 16P1654

 Generated from settings file (.taf)

▼ Tag Information

Tag Details

Argos Settings

Accelerometer Settings

Archive Accelerometer Channels

▶ Tag Release Sequence 

▶ Data Product Settings

▶ Transmission Settings

MiniPAT - PTT #39332 - Serial 16P1654

 Generated from settings file (.taf)

▶ Tag Information

▼ Tag Release Sequence

Release my tag days after deployment start, or on this given date .

The tag will set its Archive Sample Interval to 1 second(s) based on a 27 day deployment.

Auto-Detect Tag Detachment 

OFF 

Auto-Detect Mortality 

OFF 

- Release tag if it is at a depth below 1,700 m.
- When released and trying to transmit, ignore the wet/dry sensor after 45 days.
- Enable Homing Pinger - Interval: second(s).
- Use an external release device.

▶ Data Product Settings

▶ Transmission Settings

 Generated from settings file (.taf)

▶ Tag Information

▶ Tag Release Sequence 

▼ Data Product Settings

Daily Messages

Light Level and SST Geolocation

Always Generate Generate On Schedule Never Generate

Calculate Daily Light Attenuation Constants 

ON

Daily Data 

Always Generate Generate On Schedule Never Generate

Orientation Data

Always Generate Generate On Schedule Never Generate

Time Series Messages

Depth

Always Generate Generate On Schedule Never Generate

Temperature

Always Generate Generate On Schedule Never Generate

Sampling Interval

300 Seconds ▾

Summary Messages

Mixed Layer Temperature


Always Generate Generate On Schedule Never Generate

Profile of Depth and Temperature 

Always Generate Generate On Schedule Never Generate

Histograms (TAT & TAD)

Always Generate Generate On Schedule Never Generate

Schedule 

On Off-On

Off On-Off

Initially **on** for day(s), then **off** for day(s) and **on** for day(s).

The tag will generate **13/1** message(s) per on/off day, for a total of **147** message(s) based on a **27** day deployment.

▶ Transmission Settings

MiniPAT - PTT #39332 - Serial 16P1654

 Generated from settings file (.taf)

▶ Tag Information

▶ Tag Release Sequence 

▶ Data Product Settings

▼ Transmission Settings

Argos Interval: **60** seconds.