



ASSET RECOVERY TAG SUITE


SPECIFICATION

| Model | Argos | Temperature | Fastloc® | Life (days) ¹ | L x W x H (mm) | Weight (g) |
|------------|-------|-------------|----------|--------------------------|----------------|------------|
| SPOT-258 | ✓ | ✓ | | 300 | 110 x 45 x 20 | 54 |
| SPOT-363 | ✓ | ✓ | | 171 | 57 x 27 x 21 | 43 |
| SPOT-386 | ✓ | ✓ | | 300 | 111 x 21 x 20 | 52 |
| SPOT-F-338 | ✓ | ✓ | ✓ | 141 | 109 x 53 x 21 | 81 |


¹ The above estimated tag life relies on battery variability, temperature, power settings, features utilized, etc. Life estimates are calculated using manufacturers' specifications and assumes 250 transmissions per day, and where applicable, 24 Fastloc® acquisitions per day.

Asset recovery tags are deployed in syntactic foam floats that carry cameras and/or accelerometer packages. They are optimized for transmissions when the antenna is vertical above the water line. All of the asset recovery tags incorporate a pinger that can be activated to transmit a short pulse for fine-scale locating using a UHF handheld antenna and receiver. Wildlife Computers provides AOR8200-MK3 receivers for real-time-tracking along with 3-element directional Yagi antennas.


Model: SPOT-258




Model: SPOT-386



Model: SPOT-F-338



Model: SPOT-363



tags@wildlifecomputers.com
WildlifeComputers.com
 +1 (425) 881-3048

8310 154th Ave NE, Suite 150
 Redmond, WA, 98052 USA

This is a small representation of our available tags. Tag features and specifications subject to change without notice. Comparative scale is approximate. Argos antennas and sensor stalks not shown to length. © Wildlife Computers. All rights reserved.

To Learn More Call: +1 (425) 881-3048 or Email: tags@wildlifecomputers.com