

Model	Fastloc®	Depth	Temperature	Light Level	L x W x H (mm)	Weight (g)	Life in Days <sup>1</sup>
TDR10-F-296	✓	✓	✓	Optional	85 x 85 x 27	210	1600
TDR10-F-297	✓	✓	✓	Optional	86 x 55 x 29	130	800
TDR10-F-393	✓	✓	✓	Optional	105 x 56 x 30	215	1600

1. Life estimates may increase or decrease based on your deployment. Please see your technical sales consultant for more information.

**These tags all feature the latest Fastloc® technology for improved satellite acquisition and maximized battery and tag duration. They also incorporate tough urethane abrasion protection (body armor).**



Model: TDR10-F-393



Model: TDR10-F-296



Model: TDR10-F-297

[tags@wildlifecomputers.com](mailto:tags@wildlifecomputers.com)  
[WildlifeComputers.com](http://WildlifeComputers.com)  
 +1 (425) 881-3048

8310 154th Ave NE, Suite 150  
 Redmond, WA, 98052 USA

This is a small representation of our available tags. Tag features and specifications subject to change without notice. Comparative scale is approximate. Tags are not shown to scale. Lifespan estimates rely on programming, battery variability, temperature, power settings, features utilized, etc. © Wildlife Computers. All rights reserved. This is proprietary information and not to be reproduced, copied, or shared without written permission.

v. 22-06

To Learn More Call: +1 (425) 881-3048 or Email: [tags@wildlifecomputers.com](mailto:tags@wildlifecomputers.com)