

TRANSDERMAL CETACEAN TAG SUITE

SPECIFICATIONS

| Model | Argos | Depth | Temperature | Light Level | Life (days) ¹ | L x D (mm) | Wall Thickness | Weight (g) |
|--------------|-------|-------|-------------|-------------|--------------------------|------------|----------------|------------|
| SPOT-177R | ✓ | | ✓ | | 190 | 98 x 22 | 0.05 inches | 140 |
| SPOT-177S | ✓ | | ✓ | | 190 | 145 X 22 | 0.05 inches | 180 |
| SPOT-372A | ✓ | | ✓ | ✓ | 810 | 293 x 24 | 0.06 inches | 390 |
| SPOT-372C | ✓ | | ✓ | | 810 | 293 x 24 | 0.06 inches | 390 |
| SPLASH10-373 | ✓ | ✓ | ✓ | | 185 | 293 x 24 | 0.06 inches | 390 |

1. Lifespan estimates may increase or decrease based on your deployment. Please see your technical sales consultant.

Model: SPOT-177R



Model: SPOT-177S



Models:
SPOT-372A
SPOT-372C
SPLASH10-373



tags@wildlifecomputers.com
WildlifeComputers.com
+1 (425) 881-3048

8310 154th Ave NE, Suite 150
Redmond, WA, 98052 USA

This is a small representation of our available tags. Tag features, colors, and specifications subject to change without notice. Comparative scale is approximate. Tags and antennas are not shown to scale. Lifespan estimates rely on programming, battery variability, temperature, power settings, features utilized, etc. © Wildlife Computers. All rights reserved. This is proprietary information and not to be reproduced, copied, or shared without written permission.

v.26-03

To Learn More Call: +1 (425) 881-3048 or Email: tags@wildlifecomputers.com