



Model	Argos	Depth	Temperature	Light Level	Life (days) <sup>1</sup>	L x D (mm)	Wall Thickness	Weight (g)
SPOT-177R	✓		✓		300	98 x 22	0.05 inches	140
SPOT-177S	✓		✓		300	145 X 22	0.05 inches	180
SPOT-303	✓		✓	✓	540	300 x 24	0.06 inches	390
SPLASH10-302	✓	✓	✓	✓	190	300 x 24	0.06 inches	390
SPOT-372	✓		✓	✓	540	293 x 24	0.06 inches	390
SPLASH10-373	✓	✓	✓	✓	190	293 x 24	0.06 inches	390

1. The above estimated tag life relies on battery variability, temperature, power settings, features utilized, etc. Life estimates are calculated using manufacturers' specifications and assumes 250 transmissions per day.


Model: SPOT-177R



Model: SPOT-177S



Models:  
SPOT-372  
SPLASH10-373



Models:  
SPOT-303  
SPLASH10-302



[tags@wildlifecomputers.com](mailto:tags@wildlifecomputers.com)  
[WildlifeComputers.com](http://WildlifeComputers.com)  
+1 (425) 881-3048

8310 154th Ave NE, Suite 150  
Redmond, WA, 98052 USA

This is a small representation of our available tags. Tag features and specifications subject to change without notice. Comparative scale is approximate. Tags are not shown to scale. © Wildlife Computers. All rights reserved.

v. 21-04

To Learn More Call: +1 (425) 881-3048 or Email: [tags@wildlifecomputers.com](mailto:tags@wildlifecomputers.com)